#### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

**ELEVATION CERTIFICATE** 

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner. FOR INSURANCE COMPANY USE SECTION A - PROPERTY INFORMATION A1. Building Owner's Name: WL MOORE CONSTRUCTION INC Policy Number: A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: Company NAIC Number: 1601 RIVER RUN STREET ZIP Code: 97502 City: CENTRAL POINT A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number: LOT 125, THE NORTH VILLAGE AT TWIN CREEKS, PHASE V; 372W03BB-3652 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): RESIDENTIAL Horiz. Datum: 
NAD 1927 
NAD 1983 
WGS 84 Long. -122.933968 A5. Latitude/Longitude: Lat. 42.386008 A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8). A7. Building Diagram Number: A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s): 2550 b) Is there at least one permanent flood opening on two different sides of each enclosed area? X Yes X No X/A c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: 21 Engineered flood openings: d) Total net open area of non-engineered flood openings in A8.c: 2793 sq. in. e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): N/A sq. ft. f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft. A9. For a building with an attached garage: 1252 sq. ft. a) Square footage of attached garage: b) Is there at least one permanent flood opening on two different sides of the attached garage? 

Yes 

No 

N/A c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: 0 Engineered flood openings: Non-engineered flood openings: d) Total net open area of non-engineered flood openings in A9.c: e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): N/A sq. ft. f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1.b. NFIP Community Identification Number: 410092 B1.a. NFIP Community Name: CITY OF CENTRAL POINT B4. Map/Panel No.: 41029C1768 B5. Suffix: F B3. State: OR B2. County Name: JACKSON B7. FIRM Panel Effective/Revised Date: 09/14/2016 B6. FIRM Index Date: 01/19/2018 B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): 1238.8 B8. Flood Zone(s): AE B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: ☐ CBRS ☐ OPA Designation Date: 

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box	No.: FOR INSURANCE COMPANY USE					
1601 RIVER RUN STREET	Policy Number:					
City: CENTRAL POINT State: OR ZIP Code: 97502 Company NAIC Number:						
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
C1. Building elevations are based on:  Construction Drawings*  Building Under *A new Elevation Certificate will be required when construction of the building is core	nplete.					
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), A99. Complete Items C2.a–h below according to the Building Diagram specified in Benchmark Utilized: P 549  Vertical Datum: NA	Rem A7. In Fuelto Nico only, enter meters.					
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:						
Datum used for building elevations must be the same as that used for the BFE. Conversif Yes, describe the source of the conversion factor in the Section D Comments area.	Check the measurement used					
<ul> <li>a) Top of bottom floor (including basement, crawlspace, or enclosure floor):</li> </ul>	1239.6					
b) Top of the next higher floor (see Instructions):	1242.3 $\boxtimes$ feet $\square$ meters					
c) Bottom of the lowest horizontal structural member (see Instructions):	1241.1 $\boxtimes$ feet $\square$ meters					
d) Attached garage (top of slab):	1241.9 🔀 feet 🗌 meters					
<ul> <li>e) Lowest elevation of Machinery and Equipment (M&amp;E) servicing the building (describe type of M&amp;E and location in Section D Comments area):</li> </ul>	1242.2					
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	1240.9 🔀 feet 🗌 meters					
g) Highest Adjacent Grade (HAG) next to building:   Natural  Finished	1241.4 🔀 feet 🗌 meters					
<ul> <li>h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:</li> </ul>	1242.0 🔀 feet 🗌 meters					
SECTION D – SURVEYOR, ENGINEER, OR ARCHIT						
This certification is to be signed and sealed by a land surveyor, engineer, or architect a information. I certify that the information on this Certificate represents my best efforts to false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section	interpret the data available. I understand that any					
Were latitude and longitude in Section A provided by a licensed land surveyor?	es 🗌 No					
Check here if attachments and describe in the Comments area.						
Certifier's Name: PHILIP J DROSSOS License Number: 90718	REGISTERED					
PROFESSIONAL PROFESSIONAL						
Company Name: TERRASURVEY INC						
Address: 270 4TH STREET						
State: OR ZIP Code: 97520 PHILIP J. DROSSOS						
City:         ASHLAND         State:						
Signature: Date: 01/	Di Co-III					
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (	2) insurance agent/company, and (3) building owner.					
Comments (including source of conversion factor in C2; type of equipment and location C2e LOWEST EQUIPMENT IS HEATPUMP						

SECTION E — BUILDING MEASUREMENT INFORMATION (SURVEY N FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT E)  For Zones AO, AR/AO, and A (without BFE), complete Items E1—E5. For Items E1—E4, use natural g intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the mea enter meters.  Building measurements are based on:   Construction Drawings*  Building Under Construction A new Elevation Certificate will be required when construction of the building is complete.  E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the approximate measurement is above or below the natural HAG and the LAG.  a) Top of bottom floor (including basement, crawlspace, or enclosure) is:   b) Top of bottom floor (including basement, crawlspace, or enclosure) is:   Fer For Building Diagrams 6—9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:   feet meters  E3. Attached garage (top of slab) is:   feet meters  E4. Top of platform of machinery and/or equipment servicing the building is:   feet meters	grade, if available. If the Certificate is easurement used. In Puerto Rico only, on*   Finished Construction appropriate boxes to show whether the above or   below the HAC or 9 (see pages 1–2 of Instructions), the above or   below the HAC or 9 ab
SECTION E - BUILDING MEASUREMENT INFORMATION (SURVEY N FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT E Interest of Map Change request, complete Items E1–E5. For Items E1–E4, use naturally intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the meanenter meters.  Building measurements are based on:  Construction Drawings* Building Under Construction A new Elevation Certificate will be required when construction of the building is complete.  E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the agmeasurement is above or below the natural HAG and the LAG.  a) Top of bottom floor (including basement, crawlspace, or enclosure) is:  Feet meters  b) Top of bottom floor (including basement, crawlspace, or enclosure) is:  Feet meters  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:  Feet meters  E3. Attached garage (top of slab) is:  Feet meters  E4. Top of platform of machinery and/or equipment servicing the building is:  Feet meters  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance? Yes No Unknown The local official muters  SECTION F - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESEN)  The property owner or owner's authorized representative who completes Sections A, B, and E for Zeign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	NOT REQUIRED) BFE)  grade, if available. If the Certificate is assurement used. In Puerto Rico only, on*   Finished Construction  appropriate boxes to show whether the above or   below the HAC  accordance with the community's nust certify this information in Section
FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BE) For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural gintended to support a Letter of Map Change request, complete Sections A, B, and C. Check the meanenter meters.  Building measurements are based on: Construction Drawings* Building Under Construction A new Elevation Certificate will be required when construction of the building is complete.  E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the agmeasurement is above or below the natural HAG and the LAG.  a) Top of bottom floor (including basement, crawlspace, or enclosure) is: feet meters  b) Top of bottom floor (including basement, crawlspace, or enclosure) is: feet meters  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is: feet meters  E3. Attached garage (top of slab) is: feet meters  E4. Top of platform of machinery and/or equipment servicing the building is: feet meters  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action of the building is: feet meters  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action of the building is: feet meters  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action of the building is: feet meters  E6. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action of the building is: feet meters  E6. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action of the building in management ordinance? Yes No Unknown The local official must be properly owner or owner's authorized representative who completes Sections A, B, and E for Zone AD and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments a	grade, if available. If the Certificate is easurement used. In Puerto Rico only, on*   Finished Construction appropriate boxes to show whether the above or   below the HAC or 9 (see pages 1–2 of Instructions), the above or   below the HAC or 9 ab
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural gentended to support a Letter of Map Change request, complete Sections A, B, and C. Check the mean enter meters.  Building measurements are based on:   Construction Drawings*  Building Under Construction A new Elevation Certificate will be required when construction of the building is complete.  E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the agreement is above or below the natural HAG and the LAG.  a) Top of bottom floor (including basement, crawlspace, or enclosure) is:   b) Top of bottom floor (including basement, crawlspace, or enclosure) is:   feet meters  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:   feet meters  E3. Attached garage (top of slab) is:   feet meters  E4. Top of platform of machinery and/or equipment servicing the building is:   feet meters  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance?  Yes No Unknown The local official musers in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	grade, if available. If the Certificate is easurement used. In Puerto Rico only, on*   Finished Construction appropriate boxes to show whether the above or   below the HAG or 9 (see pages 1–2 of Instructions), the above or   below the HAG or 9 ab
*A new Elevation Certificate will be required when construction of the building is complete.  E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the application measurement is above or below the natural HAG and the LAG.  a) Top of bottom floor (including basement, crawlspace, or enclosure) is:  b) Top of bottom floor (including basement, crawlspace, or enclosure) is:  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:  E3. Attached garage (top of slab) is:  E4. Top of platform of machinery and/or equipment servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in actification flood depth number is available, is the top of the bottom floor elevated in actification management ordinance?  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in actification management ordinance?  E6. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in actification management ordinance?  E6. Top of platform of machinery and/or equipment servicing the building is:  E7. Top of platform of machinery and/or equipment servicing the building is:  E8. Top of platform of machinery and/or equipment servicing the building is:  E8. Top of platform of of machinery and/or equipment servicing the building is:  E8. Top of platform of machinery and/or equipment servicing the building is:  E9. Top of platform of machinery and/or equipment servicing the building is:  E9. Top of platform of machinery and/or equipment servicing the building is:  E9. Top of platform of machinery and/or equipment servicing the building is:  E1. Top of platform of machinery and/or equipment servicing the building is:  E1. Top of platform of machinery and/or equipment servicing the building is:  E1. Top of platform of machinery and/or equipment servicing the	appropriate boxes to show whether the above or below the HAG or 9 (see pages 1–2 of Instructions), the below the HAG below the H
a) Top of bottom floor (including basement, crawlspace, or enclosure) is:  b) Top of bottom floor (including basement, crawlspace, or enclosure) is:  crawlspace, or enclosure) is:  crawlspace, or enclosure) is:  feet meters  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:  E3. Attached garage (top of slab) is:  E4. Top of platform of machinery and/or equipment servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in act floodplain management ordinance?  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in act floodplain management ordinance?  SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENT The property owner or owner's authorized representative who completes Sections A, B, and E for Zong here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	above or below the HAC above or below the LAC below the LAC below the LAC below the LAC below the HAC above or below the HAC above or below the HAC below the HAC below the HAC below the HAC accordance with the community's contact certify this information in Section
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or next higher floor (C2.b in applicable Building Diagram) of the building is:  E3. Attached garage (top of slab) is:  E4. Top of platform of machinery and/or equipment servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance? Yes No Unknown The local official must service to the property owner or owner's authorized representative who completes Sections A, B, and E for Zong here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	above or below the LAG or 9 (see pages 1–2 of Instructions), to above or below the HAG above or below the HAG above or below the HAG accordance with the community's nust certify this information in Section
crawlspace, or enclosure) is:	or 9 (see pages 1–2 of Instructions), the second above or below the HAC
next higher floor (C2.b in applicable Building Diagram) of the building is:  E3. Attached garage (top of slab) is:  E4. Top of platform of machinery and/or equipment servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance?  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance?  E6. Yes No Unknown The local official muterial numbers in Sections (CR) OWNER'S AUTHORIZED REPRESENTAL The property owner or owner's authorized representative who completes Sections A, B, and E for Zong in here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Check here if attachments and describe in the Comments area.	above or below the HAC above or below the HAC above or below the HAC accordance with the community's nust certify this information in Section
E4. Top of platform of machinery and/or equipment servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in action floodplain management ordinance? Yes No Unknown The local official must section F - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENT The property owner or owner's authorized representative who completes Sections A, B, and E for Zong here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Check here if attachments and describe in the Comments area.	accordance with the community's nust certify this information in Section
servicing the building is:  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in ac floodplain management ordinance? Yes No Unknown The local official must SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENT The property owner or owner's authorized representative who completes Sections A, B, and E for Zone isign here. The statements in Sections A, B, and E are correct to the best of my knowledge.  Check here if attachments and describe in the Comments area.	accordance with the community's nust certify this information in Section
SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENT The property owner or owner's authorized representative who completes Sections A, B, and E for Zosign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	lust certify this information in coston
The property owner or owner's authorized representative who completes Sections A, B, and E for Zosign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	
sign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.	NTATIVE) CERTIFICATION
ㅡㅡ 그는	Zone A (without BFE) or Zone AO mu
Property Owner or Owner's Authorized Representative Name:	
Troporty owner or owner.	
Address:	
City: State:	ZIP Code:
Telephone: Ext.: Email:	
Signature: Date:	
Signature: Date Comments:	

Duilding Street Address (including Ant Unit Suite and/or Bldg No.) or P.	O. Route and B	ox No.:	FOR INSU	RANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:  1601 RIVER RUN STREET  Policy Number:					
ity: CENTRAL POINT State: OR ZIP Code: 97202 Company NAIC Number:					
SECTION G - COMMUNITY INFORMATION (RECOMM	ENDED FOR	COMMUNI	TY OFFICIA	L COMPLETION)	
The local official who is authorized by law or ordinance to administer the Section A, B, C, E, G, or H of this Elevation Certificate. Complete the a	e community's	floodplain ma	anagement or		
G1. The information in Section C was taken from other docume engineer, or architect who is authorized by state law to cerl elevation data in the Comments area below.)	ify elevation inf	ormation. (in	dicate the sou	lice and date of the	
G2.a. A local official completed Section E for a building located in E5 is completed for a building located in Zone AO.	Zone A (witho	ut a BFE), Zo	one AO, or Zo	ne AR/AO, or when item	
G2.b.   A local official completed Section H for insurance purposes					
G3.					
G4.  The following information (Items G5–G11) is provided for c	community flood	lplain manag	ement purpos	es.	
G5. Permit Number: <u>175-23-000254-DWL</u> G6. Date Perm	nit Issued: 06	5/01/2023			
G7. Date Certificate of Compliance/Occupancy Issued: T.B.D.					
G8. This permit has been issued for: X New Construction S	substantial Impr	ovement			
G9.a. Elevation of as-built lowest floor (including basement) of the building:	1243.2	x feet	meters	Datum: <u>NAVD 88</u>	
G9.b. Elevation of bottom of as-built lowest horizontal structural member:	1241.1	X feet	meters	Datum: NAVD 88	
G10.a. BFE (or depth in Zone AO) of flooding at the building site:	1238.8	x feet	meters	Datum: NAVD 88	
G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member:	1239.8	x feet	☐ meters	Datum: <u>NAVD 88</u>	
G11. Variance issued?  Yes  No If yes, attach documen	tation and desc	 cribe in the Co	omments area	а.	
The local official who provides information in Section G must sign her correct to the best of my knowledge. If applicable, I have also provide	e. I have compl d specific corre	eted the infor ctions in the	rmation in Sec Comments ar	ction G and certify that it is rea of this section.	
Local Official's Name: Justin Gindlesperger, CFM, AICP	Title:	Communit	y Planner III		
NFIP Community Name: City of Central Point					
Telephone: 541.664.3321	indlesperger@	@centralpoi	ntoreon.gov		
Address:140 S. 3rd Street					
City: Central Point		_ State: O	R ZIP C	Code: 97532	
Signature: Justin P Lindlesperger	Date: _	02/02/202			
Comments (including type of equipment and location, per C2.e; desc Sections A, B, D, E, or H):	ription of any at	tachments; a	nd corrections	s to specific information in	
The structure complies with requirements in CPMC 8.24 - F	Flood Damage	e Preventio	n.		
, and the property of the prop		2.30			

Building Street Address (includi	ng Apt., Unit. Suite, a	nd/or Bldg. No.) o	r P.O. Route and Box No.:	FOR INSURANCE COMPANY U
1601 RIVER RUN STREET		,		Policy Number:
City: CENTRAL POINT		State: OR	ZIP Code: 97202	Company NAIC Number:
SECTIO	N H – BUILDING'S (SURVEY NOT R	S FIRST FLOO EQUIRED) (FO	R HEIGHT INFORMATION OR INSURANCE PURPOS	N FOR ALL ZONES ES ONLY)
to determine the building's fire	t floor height for insu	rance purposes. Puerto Rico). <b>Re</b>	Sections A, B, and I must als ference the Foundation Type	nay complete Section H for all flood zo to be completed. Enter heights to the one Diagrams (at the end of Section I to complete this section.
H1. Provide the height of the	top of the floor (as in	dicated in Found	ation Type Diagrams) above	the Lowest Adjacent Grade (LAG):
<ul> <li>a) For Building Diagran floor (include above-grad- crawlspaces or enclosure</li> </ul>	e floors only for build	<b>-8.</b> Top of bottom ings with	[ feet	meters above the LAG
<ul><li>b) For Building Diagram higher floor (i.e., the floor enclosure floor) is:</li></ul>	above basement, cr	awlspace, or	[ ] feet	meters above the LAG
H2. Is <b>all</b> Machinery and Equ H2 arrow (shown in the F ☐ Yes ☐ No	ipment servicing the oundation Type Diag	building (as liste grams at end of S	d in Item H2 instructions) ele Section H instructions) for the	vated to or above the floor indicated by appropriate Building Diagram?
SECTION I - PR	OPERTY OWNER	(OR OWNER'S	S AUTHORIZED REPRES	ENTATIVE) CERTIFICATION
Property Owner or Owner's A	s are provided (includ authorized Represent	ative Name:		nment in the Comments area.
			State:	ZIP Code:
Telephone:	Ext.:			
Signature:			Date:	
Comments:				

# ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Uni	t, Suite, and/or Blo	ig. No.) c	No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
1601 RIVER RUN STREET				Policy Number:
City: CENTRAL POINT	State: _	OR	_ ZIP Code: 97202	Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT 01-26-2024

Clear Photo One



Photo Two

Photo Two Caption: BACK 01-26-2024

Clear Photo Two

#### **ELEVATION CERTIFICATE** IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

	Continu	uation Page	
Building Street Address (including Apt., Unit, 1601 RIVER RUN STREET	Suite, and/or Bldg. No.) o	or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
City: CENTRAL POINT	State: OR	ZIP Code: 97202	Policy Number:
Insert the third and fourth photographs belo View," or "Left Side View." When flood oper vents, as indicated in Sections A8 and A9.	w. Identify all photographings are present, includ	ohs with the date taken and "F de at least one close-up photo	ront View," "Rear View," "Right Side graph of representative flood openings or
	Ph	oto Three	
Photo Three Caption: RIGHE SIDE 01-2	26-2024		Clear Photo Three
	P	hoto Four	
Photo Four Caption:			Clear Photo Four