U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

ELEVATION CERTIFICATE

OMB No. 1660-0008

National Flood Insurance Pro	gram	Important: F	Read t	he instructions on	pages 1-9.	Expira	ation Date: July 31, 2015	
		SEC	TION	A - PROPERTY INFO	RMATION	FOR IN	NSURANCE COMPANY USE	
A1. Building Owner's Name John and Marilyn Duke							Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1200 Boulder Ridge Street							any NAIC Number:	
City Central Point				State OR ZIP Cod	e 97502			
A3. Property Description (372W03BD-1500; Lot 52.			Numbe	r, Legal Description, etc.)	# 11 mm			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 42.3835N								
	SEC.	TION B - FLOOD	INSUF	RANCE RATE MAP (F	IRM) INFORMATIO	ON		
B1. NFIP Community Name City of Central Point 41009		Number	B2. Co Jackso	ounty Name on		B3. Stat Or	te	
B4. Map/Panel Number 41029C1768	B5. Suffix F	B6. FIRM Index 05-03-11	Date	B7. FIRM Panel Effective/Revised Date 05-03-11	B8. Flood Zone(s) AE	B9. E	Base Flood Elevation(s) (Zone AO, use base flood depth) 1246.1	
Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: Item B9: NGVD 1929 NAVD 1929 NAVD 1929 Other/Source: Item B9: NGVD 1929 NAVD 1929								
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
21. Building elevations are based on: Construction Drawings* Building Under Construction* A new Elevation Certificate will be required when construction of the building is complete. 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Ricco only, enter meters. Benchmark Utilized: RM1 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE.								
a) Tan of bottom floor (in	aludiaa baaaaa	-1		0			surement used.	
 a) Top of bottom floor (including basement, crawlspace, or en b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones) d) Attached garage (top of slab) 					<u>44.9</u> 47.6	☑ feet ☑ feet	☐ meters ☐ meters	
	of slab)	ral member (V Zone	s only)	<u>n/a</u>		_	meters meters	
(Describe type of equi f) Lowest adjacent (finish	achinery or equip pment and locati hed) grade next t	oment servicing the on in Comments) to building (LAG)		<u>n/a</u> 12 12:	1 47.1 47.1 45.9	feet feet feet feet	meters meters meters meters	
(Describe type of equi	achinery or equip pment and locati hed) grade next t hed) grade next	oment servicing the on in Comments) to bullding (LAG) to building (HAG)	building	<u>n/a</u> 12 12: 12: 12:	1 47.1 47.1 45.9 46.4	feet feet feet feet feet	meters meters meters	
(Describe type of equi f) Lowest adjacent (finisl g) Highest adjacent (finis	achinery or equip pment and locati hed) grade next t hed) grade next e at lowest elevat	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs	building , includi	<u>n/e</u> 12 12: 12: 12:	1 47.1 47.1 45.9 46.4	feet feet feet feet feet feet feet	meters meters meters meters meters meters	
(Describe type of equi f) Lowest adjacent (finisl g) Highest adjacent (finis	achinery or equip pment and locati hed) grade next the dispersion of the earl lowest eleval SECTIO and and sealed by information on the tatement may be seare provided or	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs N D - SURVEYOL by a land surveyor, en is Certificate representation of the process of punishable by fine in back of form.	including, including, including, including, including, including, including	n/a 12 12 12 12 12 18 18 18 18 18 18 18 18 18 18 18 18 18	47.1 47.1 45.9 46.4 CT CERTIFICATIOn In the control of the control	feet feet feet feet	meters meters meters meters meters meters	
(Describe type of equif) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be sign formation. I certify that the understand that any false s Check here if comments	achinery or equip pment and locati hed) grade next to hed) grade next e at lowest eleval SECTIO ned and sealed be information on the tatement may be s are provided or nots.	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs N D - SURVEYOL by a land surveyor, en is Certificate representation of the process of punishable by fine in back of form.	including, including, including, including, including, including, including	n/s 12 12 12 12 12 13 16 17 18 18 18 19 19 19 19 19 19 19	47.1 45.9 46.4 CT CERTIFICATION y law to certify elevate data available. ode, Section 1001. ction A provided by a yes No	feet feet feet feet	meters meters meters meters meters meters meters meters REGISTERED ROFESSIONAL	
(Describe type of equif) f) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be sign information. I certify that the funderstand that any false s Check here if comments Check here if attachments	achinery or equip pment and locati hed) grade next to hed) grade next e at lowest eleval SECTIO ned and sealed be information on the tatement may be s are provided or nots.	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs N D - SURVEYOL by a land surveyor, en is Certificate representation of the process of punishable by fine in back of form.	, including R, ENG Ingineer, ents my or impris Were la licensec	n/s 12 12 12 12 13 12 12 13 18 INEER, OR ARCHITE 19 10 10 10 11 11 11 11 12 12 12	47.1 45.9 46.4 CT CERTIFICATION y law to certify elevate data available. ode, Section 1001. ction A provided by a yes No	feet feet feet feet	meters meters meters meters meters meters meters meters REGISTERED ROFESSIONAL ND SURVEYOR OREGON	
(Describe type of equif) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be signiformation. I certify that the funderstand that any false so the Check here if attachments. Certifier's Name Herbert A F.	achinery or equip pment and locati hed) grade next to hed) grade next e at lowest eleval SECTIO ned and sealed be information on the tatement may be s are provided or nots.	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs N D - SURVEYOL by a land surveyor, en is Certificate repressing punishable by fine in back of form.	, including R, ENG Ingineer, ents my or impris Were la licensec	n/s 12 12 12 12 12 13 15 16 17 18 18 18 18 18 18 18 18 18	47.1 45.9 46.4 CT CERTIFICATION y law to certify elevate data available. ode, Section 1001. ction A provided by a yes No	feet feet	meters meters meters meters meters meters meters meters REGISTERED ROFESSIONAL ND SURVEYOR OREGON DETERMINENT 26, 1985	
(Describe type of equif) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be sign formation. I certify that the understand that any false s Check here if comments Check here if attachment Certifier's Name Herbert A F.	achinery or equip pment and locati hed) grade next to hed) grade next e at lowest eleval SECTIO med and sealed b information on the tatement may be seare provided or note.	oment servicing the on in Comments) to building (LAG) to building (HAG) tion of deck or stairs N D - SURVEYOL by a land surveyor, expensive Certificate repressing punishable by fine in back of form. Company Name	, including R, ENG Ingineer, ents my or impris Were la licensec	n/s 12 12 12 12 12 13 15 16 17 18 18 18 18 18 18 18 18 18	47.1 47.1 45.9 46.4 CT CERTIFICATION y law to certify elevate de dala available. code, Section 1001. ction A provided by a yes No 2189 Code 97502	feet feet	meters meters meters meters meters meters meters meters REGISTERED ROFESSIONAL ND SURVEYOR OREGON	

ELETATION OFFILE Page 1	•		
IMPORTANT: In these spaces, copy	the corresponding information fro	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit 1200 Boulder Ridge Street	, Suite, and/or Bldg. No.) or P.O. Route a	and Box No.	Policy Number:
City Central Point	State OR	ZIP Code 97502	Company NAIC Number:
SECTION D -	SURVEYOR, ENGINEER, OR ARCH	HITECT CERTIFICATIO	N (CONTINUED)
Copy both sides of this Elevation Certificate	for (1) community official, (2) insurance a	agent/company, and (3) buil	ding owner.
Comments C2(e): the lowest machinery ser	rvicing the building is the hear pump.		
Signature 74-1a 2	Date	e 09-23-2015	
SECTION E - BUILDING ELEVATION	ON INFORMATION (SURVEY NOT	REQUIRED) FOR ZONI	E AO AND ZONE A (WITHOUT BFE)
b) Top of bottom floor (including basem E2. For Building Diagrams 6–9 with perman (elevation C2.b in the diagrams) of the E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or eq E5. Zone AO only: If no flood depth number	if available. Check the measurement use flowing and check the appropriate boxes grade (LAG). nent, crawlspace, or enclosure) is	ed. In Puerto Rico only, enter to show whether the eleval to show whether the eleval feet metal feet metal feet metal feet above or between feet meters feet meters feet meters or elevated in accordance whether the show in the feet meters feet feet meters feet meters feet feet feet feet feet feet feet fee	er meters, ition is above or below the highest adjacent lers above or below the HAG. lers above or below the LAG. les 8–9 of Instructions), the next higher floor low the HAG.
SECTION F - P	ROPERTY OWNER (OR OWNER'S	REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized rep or Zone AO must sign here. The statements in Property Owner's or Owner's Authorized Rep	n Sections A, B, and E are correct to the	-	t a FEMA-issued or community-issued BFE)
Address	City	S	tate ZIP Code
Signature	Date	To	elephone
Comments			
			Check here if attachments
	SECTION G - COMMUNITY INFOR		11.0 11.0 10.0 10.10
ne local official who is authorized by law or ordin this Elevation Certificate. Complete the applica	able item(s) and sign below. Check the me	easurement used in Items Go	8–G10. In Puerto Rico only, enter meters,
is authorized by law to certify elevation	en from other documentation that has be on information. (Indicate the source and d		licensed surveyor, engineer, or architect who the Comments area below.)
·	on E for a building located in Zone A (with		nmunity-issued BFE) or Zone AO
	G10) is provided for community floodplair		
34. Permit Number G5. 1 75-15-000157-Du	Date Permit Issued	G6. Date Certificate Of	Compliance/Occupancy Issued
	New Construction Substantial Im		
Elevation of as-built lowest floor (including	——————————————————————————————————————	•	BACIVAL mulad
BFE or (in Zone AO) depth of flooding at the		_	Datum NAVD88
Community's design flood elevation:	1247.1	_ feet meters	880VAV muted
ocal Official's Name	Holtey, CFM TI	lle Commur	rity Panner 11
Community Name City of Cen		elephone 54) /o/o	4.3321 Ext. 244
ignature St. d. S. A.	Lalt Da	ate 9/ni lar	The state of the s
comments Complies wi	th CRINC 8.24 \$	the Mast	er Grading
Pan approved De		· · · · · · · · · · · · · · · · · · ·	☐ Check Here if attachments.

ELEVATION CERTIFICATE, page 3

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1200 Boulder Ridge Street

Policy Number:

City Central Point

State OR

ZIP Code 97502

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



