U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency

National Flood Insurance Program Important: Read the instructions on pages 1-9.

		A - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
A1 Ruilding Owner's Name OTIC 9 HADDICT TODDENOR	- PROPERTY INFORMA	TION	For Insurance Company Use:		
A1. Building Owner's Name OTIS & HARRIET TORRENCE			Policy Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 647 GROUSE RIDGE DRIVE			Company NAIC Number		
City CENTRAL POINT State OR ZIP Code 97502					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, LOT 117, TWIN CREEKS CROSSING, PHASE III; JACKSON COUNTY	Legal Description, etc.) ′ ASSESSOR'S MAP NO: 37	2W 03CB TAX LC	DT 6401		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL A5. Latitude/Longitude: Lat. 42°22'55.12" N Long. 122°55'46.56" W Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 9 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade of enclosure(s) within 1.0 foot above adjacent grade of enclosure(s) within 1.0 foot above adjacent grade of enclosure(s) No. of permanent flood openings in A8.b of the building with an attached garage of attached garage within 1.0 foot above adjacent grade of enclosure(s) within 1.0 foot above adjacent grade of the building with an attached garage of att					
SECTION B - FLOOD INSURA	ANCE RATE MAP (FIRM	INFORMATION	N .		
B1. NFIP Community Name & Community Number B2. Cou CITY OF CENTRAL POINT, 410092 JACKS0	ınty Name ON	l l	B3. State OR		
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date E MAY 3, 2011	B7. FIRM Panel Effective/Revised Date MAY 3, 2011	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 1248.2		
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date N/A ☐ CBRS ☐ OPA					
SECTION C - BUILDING ELEVAT	TION INFORMATION (SU	IRVEY REQUIR	ED)		
 C1. Building elevations are based on:					
Benchmark Utilized P549 Vertical Datum NAVD88		neck the measuren	nent used.		
Benchmark Utilized <u>P549</u> Vertical Datum <u>NAVD88</u> Conversion/Comments <u>NONE</u>	Cł	neck the measuren			
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE	Cł re floor) <u>1247.5</u> ⊠ feet	meters (Puert	o Rico only)		
Benchmark Utilized <u>P549</u> Vertical Datum <u>NAVD88</u> Conversion/Comments <u>NONE</u> a) Top of bottom floor (including basement, crawlspace, or enclosur	Chre floor) <u>1247.5</u> ⊠ feet <u>1250.5</u> ⊠ feet		o Rico only) o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	Chre floor) <u>1247.5</u> ⊠ feet <u>1250.5</u> ⊠ feet) <u>N/A</u> . □ feet 1249.7 ⊠ feet	☐ meters (Puert	o Rico only) o Rico only) o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments)	Chre floor) <u>1247.5</u> ⊠ feet <u>1250.5</u> ⊠ feet N/A □ feet 1249.7 ⊠ feet	☐ meters (Puert ☐ meters (Puert ☐ meters (Puert	o Rico only) o Rico only) o Rico only) o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)	Chre floor) 1247.5	☐ meters (Puert ☐ meters (Puert ☐ meters (Puert ☐ meters (Puert	o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, included.	Chre floor) 1247.5	☐ meters (Puert	o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, include structural support	Chare floor) 1247.5	meters (Puert me	o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, inclusive structural support SECTION D - SURVEYOR, ENGITIEST.	Chree floor) 1247.5	meters (Puert me	o Rico only)		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, includes tructural support SECTION D - SURVEYOR, ENGING This certification is to be signed and sealed by a land surveyor, engineer, information. I certify that the information on this Certificate represents my understand that any false statement may be punishable by fine or imprison Check here if comments are provided on back of form. Were lated.	Chree floor) 1247.5	meters (Puert me	o Rico only) N PROFESSIONAL LAND SURVEYOR		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, includes tructural support SECTION D - SURVEYOR, ENGING This certification is to be signed and sealed by a land surveyor, engineer, information. I certify that the information on this Certificate represents my understand that any false statement may be punishable by fine or imprison Check here if comments are provided on back of form. Were lated.	Chre floor) 1247.5	meters (Puert me	o Rico only) N REGISTERED PROFESSIONAL LAND SURVEYOR SEAL		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, inclusive structural support SECTION D - SURVEYOR, ENGING This certification is to be signed and sealed by a land surveyor, engineer, information. I certify that the information on this Certificate represents my understand that any false statement may be punishable by fine or imprisor Check here if comments are provided on back of form. Were lat licensed.	Chre floor) 1247.5	meters (Puert me	o Rico only) N PROFESSIONAL LAND SURVEYOR SEAL CAUL E. MELATHAMER		
Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosur b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, inclusive structural support SECTION D - SURVEYOR, ENGING This certification is to be signed and sealed by a land surveyor, engineer, information. I certify that the information on this Certificate represents my understand that any false statement may be punishable by fine or imprison. Check here if comments are provided on back of form. Were lat licensed.	Chre floor) 1247.5	meters (Puert me	o Rico only) N REGISTERED PROFESSIONAL LAND SURVEYOR SEAL		

IMPORTANT: In these spaces, co			For Insurance Company Use:
647 GROUSE RIDGE DRIVE	Jnit, Suite, and/or Bldg. No.) or P.O. Rou	te and Box No.	Policy Number
City CENTRAL POINT State OR ZIP	Code 97502		Company NAIC Number
SECTION D) - SURVEYOR, ENGINEER, OR AF	RCHITECT CERTIFICATION	ON (CONTINUED)
	ate for (1) community official, (2) insuran		
HARDWARE CLOTH. [C2.e] LOCATION	ZING GOOGLE EARTH (LAG AT NORTI N AT TOP OF CONCRETE PAD FOR HE M OF AN ELEVATED FURNACE IN THE ATUM, REFERENCED TO CITY OF CEN	EAT PUMP. ** BOTTOM OF A GARAGE IS AT 1251.6 FEE	AN ELEVATED WATER HEATER IN THE T. ALL ELEVATIONS MEASURED HEREON
Signature Call E. Meathan		Date 03-15-2011	☐ Check here if attachments
SECTION E - BUILDING ELEVA	ATION INFORMATION (SURVEY N	OT REQUIRED) FOR ZOI	NE AO AND ZONE A (WITHOUT BFE)
 and C. For Items E1-E4, use natural grade. E1. Provide elevation information for the grade (HAG) and the lowest adjact a) Top of bottom floor (including be b) Top of bottom floor (including be clevation C2.b in the diagrams) of E3. Attached garage (top of slab) is E4. Top of platform of machinery and/E5. Zone AO only: If no flood depth no 	ade, if available. Check the measuremer he following and check the appropriate bo ent grade (LAG). asement, crawlspace, or enclosure) is _ asement, crawlspace, or enclosure) is _ rmanent flood openings provided in Secti f the building is	nt used. In Puerto Rico only, oxes to show whether the elevance in the show whether the elevance in the show whether in the show whether in the show whether the show whether in the show wheth	vation is above or below the highest adjacent neters above or below the HAG. neters above or below the LAG. neters above or helow the LAG. neters above or below the HAG.
	F - PROPERTY OWNER (OR OWNE) CERTIFICATION
The property owner or owner's authorize		s A, B, and E for Zone A (with	nout a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorized	d Representative's Name		
Address	Cit	у	State ZIP Code
Signature	Da	ite	Telephone
Comments			
			☐ Check here if attachment
	SECTION G - COMMUNITY IN	IFORMATION (OPTIONA	L)
and G of this Elevation Certificate. Comp G1. The information in Section C was is authorized by law to certify e G2. A community official completed	lete the applicable item(s) and sign below	 v. Check the measurement u as been signed and sealed be and date of the elevation data A (without a FEMA-issued or 	y a licensed surveyor, engineer, or architect who ta in the Comments area below.) community-issued BFE) or Zone AO.
G4. Permit Number	G5. Date Permit Issued N/A	G6. Date Certificat	e Of Compliance/Occupancy Issued
N/A G7. This permit has been issued for:		ntial Improvement	
G7. This permit has been issued for:G8. Elevation of as-built lowest floor (incG9. BFE or (in Zone AO) depth of floodiG10. Community's design flood elevation	cluding basement) of the building: 1247.5 ng at the building site: 1248.2	☐ feet ☐ meters (PR) Do	atum <u>NAVD88</u>
Local Official's Name Stephanie Holte	y, CFM	Title Floodplain Coordina	ator
Community Name City of Central Point		Telephone 541.664.760	2
Signature Stopming to	Iteet	Date 3/26/2011	
Comments Structure is Post-FIRM (bui	It in 2007), however, attached flood comp	parison map shows the proper	rty was mapped in flood zone B on the original FE at LAG is 1247.8 ft, NAVD88 (see Section D
comments).	ge prevention requirements set form in C	mapter 6.24 of the Grido. Bi	E at EAO 13 12470 10, 14/14/14/14/1900 (000 000010)

FEMA Form 81-31, Mar 09

Replaces all previous editions

Building Photographs

See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
647 GROUSE RIDGE DRIVÈ	
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number
only delivered on the order of	Company 14 to 14ambor

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

NORTHERLY FACE OF HOME







Building Photographs


Continuation Page

	For Insurance Company Use:	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 647 GROUSE RIDGE DRIVE	Policy Number	
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number	


If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

TYPICAL FOUNDATION VENT





Floodplain Comparison Map



510

518

526

534

SOLDEN PENTOR

658

1136

1141

For Reference Only

Information provided on the Preliminary Digital Flood Insurance Rate Map (DFIRM) is subject to change until formally adopted by FEMA.

AO 100yr FLOODWAY AE 100yr A 100yr Legend

> Source: FEMA FIRM 410092 0001C, effective April 1, 1982, & 415589 0402B, revised January 19, 1982. 500-Year B Zone

Elevation Certs Existing Flood Map

100-Year A Zone

COMAS LOMAS

Legend

Source: FEMA Preliminary DFIRM 410092 1768F, 1769F, 1956F, & 1957F. June 30, 2009