U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Copy an pages of this E					ity official, (2) insul		ny, and (3) building owner.
SECTION A - PROPERTY INFORMATION A1. Building Owner's Name						RANCE COMPANY USE	
JOEL CASWELL	JOEL CASWELL					iber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1977 TAYLOR ROAD Company NAIC Number:					NAIC Number:		
City	-			State		ZIP Code	
CENTRAL POIN				Oregon		97502	
PARCEL 3, PARTITI	otion (Lot a ON PLAT	nd Block Numbers, Ta NO. P-85-2005 OF TH	ax Parce IE RECO	l Number, Le DRDS OF JA	gal Description, et CKSON COUNTY	c.) , OR (AKA 37 2W 1	0AB, TAX LOT 1802)
A4. Building Use (e.	g., Resider	ntial, Non-Residential,	Addition	, Accessory,	etc.) TWO-STO	RY RESIDENTIAL	
A5. Latitude/Longitud				22°55'26.99"		I Datum: NAD	1927 🔀 NAD 1983
A6. Attach at least 2			e Certific	ate is being i	used to obtain floo	d insurance.	
A7. Building Diagram	n Number	9					
A8. For a building wi	th a crawls	pace or enclosure(s):					
a) Square foota	ge of crawl	space or enclosure(s)			594 sq ft		
b) Number of pe	rmanent flo	ood openings in the cr	awlspac	e or enclosur	e(s) within 1.0 foot	above adjacent gra	ade 3
c) Total net area	of flood op	penings in A8.b		660 sq ir	1		
d) Engineered fl	ood openir	gs? ⊠ Yes 🔲 N	No				
A9. For a building with	A9. For a building with an attached garage:						
a) Square footag	a) Square footage of attached garage400 sq ft						
b) Number of per	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 0						
		enings in A9.b					
	d) Engineered flood openings? Yes No						
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
B1 NEIP Community			11301			ORIVIATION	Tan a
B1. NFIP Community Name & Community Number CITY OF CENTRAL POINT, 410092 B2. County Name JACKSON B3. State Oregon							
B4. Map/Panel E Number	35. Suffix	B6. FIRM Index Date	Effe	RM Panel	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	levation(s) Base Flood Depth)
41029C 1956 F 05-03-2011 Revised Date 05-03-2011 AE 1269.2'							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
FIS Profile							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No							
Designation Date: CBRS OPA							

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1977 TAYLOR ROAD Policy Number:				
City State ZIP Code CENTRAL POINT Oregon 97502			Company NAIC Number	
SECTION C – BUILDING ELE		ION (SURVEY RE	EQUIRED)	
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Ricco only, enter meters. 				
Benchmark Utilized: REFER TO SECT. D. COMMEI				
Indicate elevation datum used for the elevations in ite		V.		
☐ NGVD 1929 区 NAVD 1988 ☐ Other/S				
Datum used for building elevations must be the same	e as that used for the B	FE.	Check the measurement used.	
a) Top of bottom floor (including basement, crawlsp.	ace, or enclosure floor)	1	266.3 X feet meters	
b) Top of the next higher floor		12	271.2 X feet meters	
c) Bottom of the lowest horizontal structural member	r (V Zones only)		N/A feet meters	
d) Attached garage (top of slab)	. (12	270.2 X feet meters	
Experiment services (Describe type of equipment and location in Communication in Commu	ricing the building	1;	270.3 X feet meters	
f) Lowest adjacent (finished) grade next to building		12	268.1 X feet meters	
g) Highest adjacent (finished) grade next to building		12	270.7 X feet meters	
h) Lowest adjacent grade at lowest elevation of decl			267.2 X feet meters	
structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION				
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.				
Were latitude and longitude in Section A provided by a lic	ensed land surveyor?	⊠Yes ∐No	☐ Check here if attachments.	
Certifier's Name	License Number		REGISTERED	
CAEL E. NEATHAMER	LS 56545		PROFESSIONAL	
Title VICE PRESIDENT			LAND SURVEYOR	
Company Name NEATHAMER SURVEYING, INC.			care & neathann	
Address 3126 STATE STREET, SUITE 203			OREGON JULY 09, 2001	
City MEDFORD	State Oregon	ZIP Code 97504	CAEL E. NEATHAMER LS 56545	
Signature CWE. Weathanus	Date 02-16-2018	Telephone (541) 732-2869	Ext. RENEWAL. DEC. 31,	
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments (including type of equipment and location, per C2(e), if applicable) [A5] MEASURED LOCATION OF MOST UPSTREAM CORNER OF STRUCTURE. [A8.B] ALL 3 VENTS ARE ENGINEERED FLOOD VENTS (MODEL NUMBER FFWF12) CERTIFIED IN ICC-ES EVALUATION REPORT ESR-3560, HAVING A RATING OF 220 SQUARE FEET OF ENCLOSED AREA COVERAGE PER VENT. THE TOTAL ENCLOSED AREA COVERAGE IS 660 SQUARE FEET. [C2] ALL VERTICAL MEASUREMENTS HEREIN ARE REFERENCED TO NAVD88 AND ESTABLISHED VIA TERRESTRIAL METHODS FROM REFERENCE POINTS ESTABLISHED UTILIZING REAL TIME KINEMATIC (RTK) METHODS AND THE OREGON REAL-TIME GPS NETWORK (ORGN). [C2.E] AT BOTTOM OF WATER HEATER (BOTTOM OF HEAT PUMP IS AT 1270.8'). [C2.H] AT ADJACENT GRADE OF VERTICAL SUPPORT FOR UPPER DECK. SEE ATTACHED SHEET FOR ADDITIONAL COMMENTS.				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspon	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, ar 1977 TAYLOR ROAD	nd/or Bldg. No.) or P.O. Ro	oute and Box No.	Policy Number:	
City CENTRAL POINT		Code 502	Company NAIC Number	
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)				
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.				
 E1. Provide elevation information for the following an the highest adjacent grade (HAG) and the lowest a) Top of bottom floor (including basement, 	d check the appropriate bo adjacent grade (LAG).	es to show whethe	r the elevation is above or below	
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		feet meter	s above or below the HAG.	
crawlspace, or enclosure) is E2. For Building Diagrams 6–9 with permanent flood	onenings provided in Soct	feet meter		
the next higher floor (elevation C2.b in the diagrams) of the building is		e feet meter		
E3. Attached garage (top of slab) is		feet meter	s above or below the HAG.	
E4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meter	s 🔲 above or 🔲 below the HAG.	
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.				
SECTION F - PROPERTY OV	NER (OR OWNER'S REF	PRESENTATIVE) CE	RTIFICATION	
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.				
Property Owner or Owner's Authorized Representative	e's Name			
Address	City	Sta	ate ZIP Code	
Signature	Date	Te	lephone	
Comments				
4 E VE - 8	×I			
			Check here if attachments.	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1977 TAYLOR ROAD	. Policy Number:			
City State ZIP Code CENTRAL POINT Oregon 97502	Company NAIC Number			
SECTION G - COMMUNITY INFORMATION (OPTIONA	AL)			
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.				
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)				
G2. A community official completed Section E for a building located in Zone A (without a For Zone AO.	EMA-issued or community-issued BFE)			
G3. The following information (Items G4–G10) is provided for community floodplain management	gement purposes.			
Ga, i dinik italiadi	6. Date Certificate of Compliance/Occupancy Issued			
175-17-000084-DWL 04/05/2017	TBD			
G7. This permit has been issued for: New Construction Substantial Improvement	t			
G8. Elevation of as-built lowest floor (including basement) of the building: ☐ 1271.Z ☐ ☐ feet ☐ meters Datum NAUSS				
G9. BFE or (in Zone AO) depth of flooding at the building site: 1259. 2 ☐ meters Datum ₩₩ 88				
G10. Community's design flood elevation:				
Local Official's Name Title	D/ 'TT			
Community Name Telephone	Planner II			
City of Central Point 541-664-3	321, x 245			
Signature Date	,			
12/16/2018				
Comments (including type of equipment and location, per C2(e), if applicable)				
Surveyor verified interior height of crowdspace at 4-ft max.				
	Check here if attachments.			

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including Ap 1977 TAYLOR ROAD	Policy Number:		
City	State	ZIP Code	Company NAIC Number
CENTRAL POINT	Oregon	97502	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.







Photo One

Photo One Caption 2018-01-16 (LEFT PHOTO) 2018-02-01 (MIDDLE AND RIGHT PHOTOS): FRONT VIEW

Clear Photo One



Photo Two

Photo Two Caption 2018-01-16: REAR VIEW

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1977 TAYLOR ROAD			. Policy Number:
City	State	ZIP Code	Company NAIC Number
CENTRAL POINT	Oregon	97502	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption 2018-01-16: VENT (TYPICAL)

Clear Photo Three



Photo Four Caption 2018-01-16: C2.E. AT BOTTOM OF WATER HEATER (LOCATED ON GARAGE FLOOR)

Clear Photo Four

ELEVATION CERTIFICATE ADDITIONAL COMMENTS AND PHOTOS


BUILDING ADDRESS:

1977 TAYLOR ROAD


CENTRAL POINT OREGON 97502

THIS OFFICE PERFORMED A SITE VISIT ON JANUARY 14, 2018 TO VERIFY THE INTERIOR HEIGHT OF THE CRAWLSPACE. THE HEIGHT OF THE CRAWLSPACE WAS SAMPLED IN MULTIPLE LOCATIONS AND WAS FOUND TO BE AT AN AVERAGE OF 4.0 FEET TALL. THE FOLLOWING PHOTOS DEMONSTRATE THE METHOD UTILIZED TO OBTAIN THE MEASUREMENTS.





2018-02-14: CRAWLSPACE HEIGHT MEASUREMENT (NEAR NORTHEAST CORNER OF CRAWLSPACE)



2018-02-14: CRAWLSPACE HEIGHT MEASUREMENT (NEAR SOUTHEAST CORNER OF CRAWLSPACE)